



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CEREBROSPINAL MENINGITIS.

City Reports for Week Ended May 27, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Boston, Mass.....	1	1	Milwaukee, Wis.....	2	1
Bridgeport, Conn.....	2		New Orleans, La.....	1	1
Buffalo, N. Y.....	1		New York, N. Y.....	11	4
Chicago, Ill.....	2	1	Northampton, Mass.....	1	1
Cincinnati, Ohio.....		1	Providence, R. I.....	1	1
Columbus, Ohio.....	1		Sacramento, Cal.....	1	1
Kansas City, Mo.....		1	St. Louis, Mo.....	4	2
Los Angeles, Cal.....	1	1	Wilmington, Del.....	3	1
Lynn, Mass.....		1			

DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1545.

ERYSIPELAS.

City Reports for Week Ended May 27, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Berkeley, Cal.....	1		New Bedford, Mass.....		1
Binghamton, N. Y.....	3		New York, N. Y.....		1
Boston, Mass.....		2	Omaha, Nebr.....	3	
Buffalo, N. Y.....	1	1	Passaic, N. J.....	1	
Chicago, Ill.....	20	9	Philadelphia, Pa.....	8	6
Cincinnati, Ohio.....	1		Pittsburgh, Pa.....	8	
Cleveland, Ohio.....	7		Reading, Pa.....	1	
Detroit, Mich.....	6	1	Rochester, N. Y.....	3	
Harrisburg, Pa.....	1		St. Louis, Mo.....	7	
Hartford, Conn.....	1		St. Paul, Minn.....	2	1
Johnstown, Pa.....	2		San Francisco, Cal.....	5	1
Kalamazoo, Mich.....	1		Schenectady, N. Y.....		1
Los Angeles, Cal.....	6	1	Wilkesburg, Pa.....		1
Milwaukee, Wis.....	4		Williamsport, Pa.....	1	

MALARIA.

City Reports for Week Ended May 27, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Boston, Mass.....	1		Orange, N. J.....	1	
Chicago, Ill.....		1	Richmond, Va.....	2	
Jersey City, N. J.....	1		San Francisco, Cal.....	1	
Mobile, Ala.....	2		Worcester, Mass.....	1	
New Orleans, La.....	2				

MEASLES.**Washington—Seattle.**

Surg. Lloyd reported that during the week ended June 3, 1916, 409 cases of measles, with 1 death, were notified in Seattle, Wash., making a total of 3,921 cases of the disease, with 8 deaths, reported since the beginning of the outbreak, February 15, 1916.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 1545.

PELLAGRA.**City Reports for Week Ended May 27, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Charleston, S. C.		2	New Orleans, La.	4	4
Chattanooga, Tenn.		3	Norfolk, Va.	1	1
Mobile, Ala.		1			

PNEUMONIA.**City Reports for Week Ended May 27, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Binghampton, N. Y.	2	1	Nanticoke, Pa.	1	
Butte, Mont.	4	4	Newport, Ky.	1	1
Chicago, Ill.	141	67	Norfolk, Va.	2	2
Cleveland, Ohio.	26	29	Norristown, Pa.	1	
Detroit, Mich.	2	12	Philadelphia, Pa.	58	34
Grand Rapids, Mich.	1	3	Pittsburgh, Pa.	14	21
Harrisburg, Pa.	2	4	Reading, Pa.	2	
Kalamazoo, Mich.	2	1	Rochester, N. Y.	7	
Kansas City, Mo.	3	5	San Francisco, Cal.	12	2
Lancaster, Pa.	1		Schenectady, N. Y.	2	
Los Angeles, Cal.	4	1	Steelton, Pa.	1	
Manchester, N. H.	4	4	Stockton, Cal.	1	1
Morristown, N. J.	1		Wilmington, N. C.	1	

POLIOMYELITIS (INFANTILE PARALYSIS).**City Reports for Week Ended May 27, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
New Bedford, Mass.	1		Schenectady, N. Y.	2	
Newton, Mass.	1		Trenton, N. J.	1	1
New York, N. Y.	2		Washington, D. C.	1	

RABIES.**Washington—Seattle—Rabies in Animals.**

Surg. Lloyd reported that during the month of May, 1916, one case of rabies in a dog was reported at Seattle, Wash., making totals of 476 cases reported in dogs, 8 cases in cattle, 4 in cats, 2 in horses, and 1 in a hog, since the first appearance of the disease at Seattle.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1545.

SMALLPOX.**Minnesota.**

Collaborating Epidemiologist Bracken reported by telegraph that during the week ended June 10, 1916, four new foci of smallpox infection were reported in Minnesota, cases of the disease having been notified as follows: Hennepin County, Minnetriska Township, 1; Hubbard County, Mantrap Lake Township, 1; Kandiyohi County, Willmar, 1; Lac qui Parle County, Madison Township, 5.

Porto Rico.

Surg. King reported that during the week ended June 2, 1916, new cases of smallpox were reported in Porto Rico as follows: Arecibo 1, Arroyo 2, Bayamon 1, Camuy 1, Gurabo 7, Juncos 1, Patillas 1, San Juan 45, Trujillo Alto 29, Utuado 1.

Texas—Galveston.

Surg. Bahrenburg reported that two cases of smallpox were notified at Galveston, Tex., June 8 and one case June 12, 1916, making a total of 22 cases of the disease reported at that place since January 1, 1916.

Washington—Seattle.

Surg. Lloyd reported that during the week ended June 3, 1916, 9 cases of smallpox were notified at Seattle, Wash., making a total of 37 cases since January 1, 1916.

City Reports for Week Ended May 27, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala.....	3		Lincoln, Nebr.....	1	
Buffalo, N. Y.....	1		New Orleans, La.....	8	
Chicago, Ill.....	4		Oklahoma, Okla.....	5	
Cleveland, Ohio.....	1		Omaha, Nebr.....	1	
Danville, Ill.....	1		Roanoke, Va.....	1	
Davenport, Iowa.....	3		Rock Island, Ill.....	1	
Detroit, Mich.....	74	6	St. Louis, Mo.....	1	
El Paso, Tex.....	4		St. Paul, Minn.....	5	
Galveston, Tex.....	1		Seattle, Wash.....	10	
Grand Rapids, Mich.....	1		Springfield, Ill.....	8	
Kansas City, Kans.....	8		Toledo, Ohio.....	2	
Kansas City, Mo.....	5		Wilmington, Del.....	1	

TETANUS.**City Reports for Week Ended May 27, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Boston, Mass.....	1	1	El Paso, Tex.....	1	
Charleston, S. C.....		1	Philadelphia, Pa.....		1
Chicago, Ill.....	1		St. Louis, Mo.....	1	1
Cleveland, Ohio.....		1	St. Paul, Minn.....		1
Detroit, Mich.....	1	1			

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1545.

TYPHOID FEVER.**City Reports for Week Ended May 27, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Ann Arbor, Mich.....	2		Mobile, Ala.....	1	1
Atlantic City, N. J.....	1		Nashville, Tenn.....	5	
Baltimore, Md.....	7		New Bedford, Mass.....	2	
Berkeley, Cal.....	1		New Haven, Conn.....	1	
Birmingham, Ala.....	5		New London, Conn.....		1
Boston, Mass.....	1		New Orleans, La.....	9	5
Buffalo, N. Y.....	2		New York, N. Y.....	27	3
Cambridge, Mass.....	1	1	Norfolk, Va.....	1	
Camden, N. J.....	3		Norristown, Pa.....	3	
Charleston, S. C.....	4		Passaic, N. J.....		1
Chicago, Ill.....	15	5	Philadelphia, Pa.....	18	2
Cleveland, Ohio.....	5	1	Pittsburgh, Pa.....	7	1
Columbus, Ohio.....	1		Portland, Oreg.....	1	
Danville, Ill.....	1	1	Reading, Pa.....	1	
Detroit, Mich.....	2	3	Richmond, Va.....	1	
Dubuque, Iowa.....		1	Roanoke, Va.....	1	1
Elgin, Ill.....	1		Rock Island, Ill.....	1	
El Paso, Tex.....		1	St. Louis, Mo.....	4	
Galveston, Tex.....	5		Salt Lake City, Utah.....	1	
Grand Rapids, Mich.....	2		San Diego, Cal.....	1	1
Harrisburg, Pa.....		1	San Francisco, Cal.....	4	
Jersey City, N. J.....	1		Schenectady, N. Y.....	2	
Johnstown, Pa.....	1		Stockton, Cal.....	1	
Kansas City, Mo.....	1		Taunton, Mass.....	2	
Lancaster, Pa.....	2		Toledo, Ohio.....	2	
Lawrence, Mass.....	1		Trenton, N. J.....	1	
Los Angeles, Cal.....	2		Troy, N. Y.....	1	1
Lowell, Mass.....	1	1	Waltham, Mass.....	1	
Lynchburg, Va.....	3		Washington, D. C.....	5	1
Lynn, Mass.....	1		Wheeling, W. Va.....	1	
Marinette, Wis.....	1		Wilkinsburg, Pa.....		1
Medford, Mass.....	1		Williamsport, Pa.....	1	
Milwaukee, Wis.....	1				

TYPHUS FEVER.**Georgia—Savannah.**

Passed Asst. Surg. Ridlon reported by telegraph June 10, 1916, that a case of typhus fever was notified at Savannah, Ga., June 6, 1916.

Texas—San Antonio—Galveston.

Surg. Bahrenberg reported a case diagnosed as typhus fever at Galveston, Tex., June 6, in the person of a white woman who had been taken ill May 29 at San Antonio, Tex., where she was residing. The patient left San Antonio and arrived in Galveston June 1. Suitable precautions have been taken in Galveston to prevent the spread of the disease.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

City Reports for Week Ended May 27, 1916.

City.	Population as of July 1, 1915. (Es- timated by United States Census Bureau.)	Total deaths from all causes.	Diph- theria.		Meas'es.		Scarlet fever.		Tubercu- losis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md.	584,605	157	10	2	147	1	21	1	48	12
Boston Mass.	745,139	273	27	3	228	4	33	1	62	17
Chicago, Ill.	2,447,045	664	93	9	314	3	231	4	295	83
Cleveland, Ohio.	656,975	195	19	2	154	2	12	1	51	26
Detroit, Mich.	554,717	214	74	6	29	1	66	1	27	19
New York, N. Y.	5,468,190	1,487	407	31	996	22	172	2	367	161
Philadelphia, Pa.	1,683,664	480	70	8	288	6	43	2	122	49
Pittsburgh, Pa.	571,984	182	17	1	168	6	13	2	20	18
St. Louis, Mo.	745,988	198	47	3	404	6	39	2	54	23
From 300,000 to 500,000 inhabit- ants:										
Buffalo, N. Y.	461,325	109	7	1	114	1	23	1	32	16
Cincinnati, Ohio.	406,706	136	14	1	114	1	3	1	25	16
Jersey City, N. J.	300,133	74	13	4	88	23	22	6	36	6
Los Angeles, Cal.	465,367	115	8	1	23	23	6	1	68	19
Milwaukee, Wis.	428,062	93	15	1	120	43	2	1	26	9
New Orleans, La.	366,484	151	15	1	38	2	2	1	34	26
San Francisco, Cal.	1,416,912	116	31	4	8	21	3	1	15	10
Seattle, Wash.	330,834	31	4	1	495	3	1	1	27	4
Washington, D. C.	358,679	122	6	1	82	4	4	1	26	14
From 200,000 to 300,000 inhabit- ants:										
Columbus, Ohio.	209,722	72	3	1	80	2	2	1	7	6
Kansas City, Mo.	289,879	49	8	1	169	19	19	1	1	7
Portland, Oreg.	272,833	49	14	2	13	2	10	3	30	5
Providence, R. I.	250,025	82	8	2	15	1	15	1	5	7
Rochester, N. Y.	230,747	60	8	2	108	1	3	1	5	7
St. Paul, Minn.	241,999	70	4	1	149	10	1	1	5	7
From 100,000 to 200,000 inhabit- ants:										
Birmingham, Ala.	174,108	42	1	1	1	1	1	1	11	2
Bridgeport, Conn.	118,434	47	1	1	6	1	1	1	3	3
Cambridge, Mass.	111,669	34	6	1	16	2	2	1	8	4
Camden, N. J.	104,349	8	1	1	9	2	2	1	2	4
Fall River, Mass.	126,904	35	3	1	8	1	12	1	10	4
Grand Rapids, Mich.	125,759	47	8	1	9	1	2	1	7	3
Hartford, Conn.	108,969	47	8	1	21	1	2	1	7	1
Lowell, Mass.	112,124	36	4	1	73	2	2	1	4	3
Lynn, Mass.	100,316	16	4	1	8	4	4	1	2	2
Nashville, Tenn.	115,978	26	1	1	1	1	1	1	1	6
New Bedford, Mass.	114,694	32	2	1	11	1	4	1	4	4
New Haven, Conn.	147,095	1	1	1	6	1	3	1	5	5
Oakland, Cal.	190,803	2	1	1	1	7	3	1	5	2
Omaha, Nebr.	163,200	30	5	1	13	6	6	1	4	4
Reading, Pa.	105,094	32	2	1	4	5	5	1	1	4
Richmond, Va.	154,674	44	2	1	438	2	2	1	7	9
Salt Lake City, Utah.	113,567	23	8	1	31	5	5	1	3	1
Springfield, Mass.	103,216	27	3	1	70	1	9	1	3	3
Tacoma, Wash.	108,094	3	3	1	18	1	3	1	3	3
Toledo, Ohio.	187,840	82	4	1	83	14	4	1	4	10
Trenton, N. J.	109,212	44	11	1	2	4	4	1	5	3
Worcester, Mass.	160,523	50	1	1	62	3	4	1	7	3
From 50,000 to 100,000 inhabit- ants:										
Atlantic City, N. J.	55,806	8	1	1	10	3	3	1	3	2
Bayonne, N. J.	67,582	17	1	1	1	1	1	1	1	1
Berkeley, Cal.	54,879	8	1	1	1	1	1	1	1	1
Binghamton, N. Y.	53,082	10	4	1	75	1	1	1	4	1
Brockton, Mass.	65,746	12	6	1	87	1	2	1	2	1
Canton, Ohio.	59,139	24	1	1	4	1	2	1	2	1
Charleston, S. C.	60,427	45	1	1	6	1	1	1	2	2
Chattanooga, Tenn.	58,576	7	1	1	6	1	13	1	5	5
Covington, Ky.	56,520	50	2	1	2	3	2	1	2	3
El Paso, Tex.	51,936	1	1	1	143	2	2	1	8	8
Erie, Pa.	73,798	16	1	1	3	1	1	1	6	5
Evansville, Ind.	72,125	16	1	1	62	1	1	1	2	3
Fort Wayne, Ind.	74,352	19	3	1	21	1	8	1	3	1
Harrisburg, Pa.	70,754	29	8	1	25	8	4	1	4	5
Hoboken, N. J.	76,104	22	1	1	33	2	2	1	1	1
Johnstown, Pa.	66,585	22	1	1	33	2	2	1	1	1

¹ Population April 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended May 27, 1916—Continued.

City.	Population as of July 1, 1915. (Es- timated by United States Census Bureau.)	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tubercu- losis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 50,000 to 100,000 inhabitants—Continued.										
Kansas City, Kans.....	96,854				34		3		2	
Lancaster, Pa.....	50,269		2		218		2		1	
Lawrence, Mass.....	98,197	32	6		4		2		3	5
Malden, Mass.....	50,067	5	3		4		3		4	
Manchester, N. H.....	76,959	28			30	1	2			
Mobile, Ala.....	56,536	27							6	3
New Britain, Conn.....	52,203	7	3	1	8		1		1	3
Norfolk, Va.....	88,076				23				1	1
Oklahoma, Okla.....	88,158	16			18		3		5	5
Passaic, N. J.....	69,010	20	6		5				2	
Rockford, Ill.....	53,761	2	2		25		4		1	1
Sacramento, Cal.....	64,806	21								5
Saginaw, Mich.....	54,815	14	1		17				2	1
San Diego, Cal.....	51,115	22	4		24				2	4
Schenectady, N. Y.....	95,265	15	3		3		5		10	4
Sioux City, Iowa.....	55,588						3			
Somerville, Mass.....	85,460	21	3		3		1		2	2
South Bend, Ind.....	67,030	9	1		42		1			
Springfield, Ill.....	59,468	7	5		8		4			
Springfield, Ohio.....	50,804	17			24		2		3	
Troy, N. Y.....	77,738		4		13		6		2	3
Wichita, Kans.....	67,847				15		2		2	
Wilkes-Barre, Pa.....	75,218	24	1		17		6		4	2
Wilmington, Del.....	93,161				8		1			
From 25,000 to 50,000 inhabitants:										
Alameda, Cal.....	27,031	6	2							1
Brookline, Mass.....	31,934	7			6		1		1	1
Butte, Mont.....	42,913	24	2		8		1		4	1
Chelsea, Mass.....	132,452	13	2		3		2		2	2
Chicopee, Mass.....	28,688	11			15					1
Danville, Ill.....	31,554	9			7				2	1
Davenport, Iowa.....	47,127		2				8			
Dubuque, Iowa.....	39,650				8		1			1
East Orange, N. J.....	41,155	8			37				4	
Elgin, Ill.....	27,844	5			1					
Everett, Mass.....	38,307	9	1		5		2		1	1
Everett, Wash.....	33,767	8			4					1
Galveston, Tex.....	41,076	12	1				2		1	
Haverhill, Mass.....	47,774	10	2		11		3		1	
Kalamazoo, Mich.....	47,364	12			12					2
Kenosha, Wis.....	30,319				110			1		
Knoxville, Tenn.....	38,300				5				7	
La Crosse, Wis.....	31,522	12	3							
Lexington, Ky.....	39,703	11			13		4		7	1
Lincoln, Nebr.....	46,028	10	1		7				1	1
Lorain, Ohio.....	35,662				15		3			
Lynchburg, Va.....	32,385	12			41				1	1
Madison, Wis.....	30,084				2				1	1
Medford, Mass.....	25,737	8			6		1		2	
Montclair, N. J.....	25,550				5		1		4	
New Castle, Pa.....	40,351		1		52					
Newport, Ky.....	31,722	9	1				3		3	3
Newport, R. I.....	29,631	10	2		9	1				1
Newton, Mass.....	43,085	5			25		1			
Niagara Falls, N. Y.....	36,240	21	3	1	28		1		4	
Norristown, Pa.....	30,833	7			20	1				
Ogden, Utah.....	30,466	4	2	1	1		5			
Orange, N. J.....	32,524	8	6		27					
Pasadena, Cal.....	43,859	11			7				3	1
Perth Amboy, N. J.....	39,725		4							
Pittsfield, Mass.....	37,580	10	1		4		1		3	1
Portsmouth, Va.....	38,610	6	2		11					
Roanoke, Va.....	41,929	13			61					1
Rock Island, Ill.....	27,961	6					4			
San Jose, Cal.....	37,994	10	1	1			1		1	1
Steubenville, Ohio.....	26,631	9	1		3		1			
Stockton, Cal.....	34,508	12	1		2		3		3	1
Superior, Wis.....	45,285	11			20	1	2			
Taunton, Mass.....	35,957	8					1		2	

* Population Apr. 15, 1910; no estimate made.

DIPHThERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended May 27, 1916—Continued.

City.	Population as of July 1, 1915. (Es- timated by United States Census Bureau.)	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tubercu- losis.		
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
From 25,000 to 50,000 inhabit- ants—Continued.											
Waltham, Mass.	30,129	6	1							2	
West Hoboken, N. J.	41,893	7	3		6		1		3	1	
Wheeling, W. Va.	43,097	19			15						
Williamsport, Pa.	33,495		2		2						
Wilmington, N. C.	28,264	11							1		
Zanesville, Ohio.	30,406	15	1							1	
From 10,000 to 25,000 inhabitants:											
Ann Arbor, Mich.	14,979	7			1						
Arlington, Mass.	12,549	6			10		1		2		
Braddock, Pa.	21,310				2		1		1		
Cairo, Ill.	15,593	3			1					1	
Clinton, Mass.	13,075	1			15						
Coffeyville, Kans.	16,765				14						
Concord, N. H.	22,480	10	2	1	16					1	
Galesburg, Ill.	23,923	8			30					1	
Kokomo, Ind.	20,312	2	1						1		
Long Branch, N. J.	15,057	5	4							1	
Marinette, Wis.	14,610				12						
Melrose, Mass.	17,166	2	1		1						
Morristown, N. J.	13,158	2			9		1				
Nanticoke, Pa.	22,441	7									
Newburyport, Mass.	15,195	4					2				
New London, Conn.	20,771		4		37						
North Adams, Mass.	22,019	4					3		1		
Northampton, Mass.	19,846	8	1		5		2		2		
Plainfield, N. J.	23,280	2			1				1		
Rutland, Vt.	14,624	3			2		1				
Sandusky, Ohio.	20,160				4						
Saratoga Springs, N. Y.	12,842	6								1	
Steelton, Pa.	15,337	3			15						
Wilkesburg, Pa.	22,361	11			3		2				
Woburn, Mass.	15,862	4									

* Population Apr. 15, 1910; no estimate made.